

DESIGN FIRST.

— e a c s p

fit interiors

fit interiors — designed and produced in italy

Index

ASMo1	4
ASMo2	5
ASMo3	6

Locks	7
Accessories	10
Additions	11

Space

arch. Simone Micheli

Single column lockers

Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: anthracite or cashmere

Door

Finishes



THE SWATCH BOOK

Structure

Finishes



Anthracite



Cashmere

Included equipment



Padlock pin



Braked hinges



Wooden hanger



Stainless steel storage basket



Chrome-plated oval metal clothes rail



Round mirror



Number engraved on a steel plate



Zamak handle polished chrome

Key for optionals on request




- Locks
(replacing standard equipment)



- USB socket



- Shoe rack



ASM01

Single column 1-tier locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Oval chrome-plated coat rod for each compartment
- Two wooden hangers
- Round mirror
- Storage basket
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number engraved on a stainless steel plate
- Zamak handle in polished chrome mod. HAN 03
- Padlock pin

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request





ASM02

Single column 2-tiers locker


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Oval chrome-plated coat rod for each compartment
- Two wooden hangers
- Round mirror
- Storage basket
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number engraved on a stainless steel plate
- Zamak handle in polished chrome mod. HAN 03
- Padlock pin

Dimensions

W 450 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optional upon request





ASM03

Single column 5-tiers locker

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number engraved on a stainless steel plate
- Zamak handle in polished chrome mod. HAN 03
- Padlock pin

Dimensions

W 450 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optional upon request



Locks

Mechanical combination lock



ACCHIAVE

Key lock

- 2 keys included plus numbered key fob
- Replacing standard equipment



ACCDKDI

Mechanical combination lock DIAL

- Replacing standard equipment



ACCCOMBI

Mechanical combination lock with handle

- Combi Lock
- Replacing standard equipment



ACCKEYLESS

Mechanical combination lock P1

- Satin nickel
- Replacing standard equipment



ACCKEYLESS1

Mechanical combination lock P1

- Satin gold
- Replacing standard equipment



ACCKEYLESS2

Mechanical combination lock P1

- Matte black
- Replacing standard equipment



ACCKEYLESS3

Mechanical combination lock P1

- Matte white
- Replacing standard equipment

Digital lock with battery



ACCAXSTD

Axis standard with integrated handle

- Digilock digital lock
- Replacing standard equipment



ACCAXVER

Axis vertical with integrated handle

- Digilock digital lock
- Replacing standard equipment



ACCDLKN

Next Cue with keypad

- Digilock digital lock
- Replacing standard equipment



ACCDKSO

Solaz with handle

- Digilock digital/mechanical lock
- Replacing standard equipment

Proximity lock



ACCGAT

Mod. 7010

- Batteries and boltset included
- Replacing standard equipment



ACCDLKNRFID

Next Cue

- Digilock proximity lock
- Replacing standard equipment



ACCAXSTDRFID

Axis standard with integrated handle

- Digilock proximity lock
- Replacing standard equipment



ACCAXVERRFID

Axis vertical with integrated handle

- Digilock proximity lock
- Replacing standard equipment



ACCOJPRO

OTS Basic

- Ojmar RFID lock
- With battery included
- Replacing standard equipment

Accessories



ACCUSB**Built-in USB socket**

- 5V complete with power supply 100–240 V; 50–60 Hz – IP20



ACCPIQ**Internal squared shoe compartment****Dimensions**

W 270 mm / D (compartment) / H 198 mm



ACCPIIS**Internal shoe compartment with rounded side****Dimensions**

W 270 mm / D (compartment) / H 330 mm



ACCPIA**Internal shoe shelf****Dimensions**

W (compartment) / D (compartment)

Additions



SPACE1

Single end side panel in laminate, rounded above and below

Dimensions

W 550 mm / D 118 mm / H 2070 mm



SPACE2

Rounded panel for internal corner in laminate

Dimensions

W 118 (+112) mm / D 118 (+112) mm / H 2070 mm



SPACE3

Rounded panel for external corner in laminate

Dimensions

W 550 mm / D 118 mm / H 2070 mm



ACCZARSG

Skirting board in ABS for single locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



ACCZARDG

Skirting board in ABS for double locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



ACCZARSB

Skirting board in ABS for single locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



ACCZARDB

Skirting board in ABS for double locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



ACCZARSN

Skirting board in ABS for single locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



ACCZARDN

Skirting board in ABS for double locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, hotel,
medical and corporate**

visit www.fitinteriors.com