

DESIGN FIRST.

le pop Pe

**fit interiors**

fit interiors — designed and produced in italy

# Index

---

<b>ANB31-19</b>	<b>4</b>	<b>ANB428-19</b>	<b>15</b>
<b>ANB41-19</b>	<b>5</b>	<b>ANB325-19</b>	<b>16</b>
<b>ANB32-19</b>	<b>6</b>	<b>ANB4210-19</b>	<b>17</b>
<b>ANB42-19</b>	<b>7</b>	<b>ANB34-19</b>	<b>18</b>
<b>ANB38-19</b>	<b>8</b>	<b>ANB44-19</b>	<b>19</b>
<b>ANB48-19</b>	<b>9</b>	<b>ANB35-19</b>	<b>20</b>
<b>ANB39-19</b>	<b>10</b>	<b>ANB45-19</b>	<b>21</b>
<b>ANB49-19</b>	<b>11</b>	<b>SANB34</b>	<b>22</b>
<b>ANB323-19</b>	<b>12</b>	<b>SANB44</b>	<b>23</b>
<b>ANB426-19</b>	<b>13</b>	<b>SANB35</b>	<b>24</b>
<b>ANB324-19</b>	<b>14</b>	<b>SANB45</b>	<b>25</b>

---

<b>Handles</b>	<b>26</b>
<b>Numbers</b>	<b>28</b>
<b>Locks</b>	<b>30</b>
<b>Accessories</b>	<b>33</b>
<b>Additions</b>	<b>35</b>

# People

Single and double column lockers

## Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: anthracite or cashmere

### Doors

Finishes



### Structure

Finishes



## Included equipment



Padlock system



Number made of PVC

## Key for optionals on request



• Handles



• Document holder



• Double hook  
*(replacing standard equipment)*



• Numbers  
*(replacing standard equipment)*



• Mirror



• Plastic hanger



• Braked hinges  
*(replacing standard equipment)*



• USB socket



• Anti-theft hanger



• Locks  
*(replacing standard equipment)*




• Shoe rack



• Storage basket



• Oval bar for coat hangers  
*(replacing standard equipment)*



**ANB31-19**


**Single column 1-tier locker**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB41-19**


**Double column 1-tier locker**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB32-19**

**Single column 2-tiers locker**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB42-19**

**Double column 2-tiers locker, 4 doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB38-19**


**Single column locker, 2 L-shaped doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**







**ANB48-19**


**Double column locker, 4 L-shaped doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB39-19**


**Single column locker, 2 L-shaped doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB49-19**


**Double column locker, 4 L-shaped doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB323-19**

**Single column 3-tiers locker**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB426-19**

**Double column 3-tiers locker 6 doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

Optional upon request





**ANB324-19**

**Single column 4-tiers locker**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


**Dimensions**

W 400 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**





**ANB428-19**

**Double column 4-tiers locker 8 doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB325-19**

**Single column 5-tiers locker**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**


W 400 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**







**ANB4210-19**

**Double column 5-tiers locker 10 doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB34-19**

**Single column 1-tier locker, bench version**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**





**ANB44-19**


**Double column 1-tier locker, bench-version, full length doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**





**ANB35-19**

**Single column 2-tiers locker, bench version**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**


W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**



(\*) lower compartment excluded

(\*)



**ANB45-19**

**Double column 2-tiers locker, bench-version, 4 doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm


Height with skirting board 2170 mm

**Optional upon request**



(\*)

(\*) lower compartment excluded



**SANB34**

**Single column 1-tier locker, cantilevered bench version**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


**Dimensions**

W 400 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**





**SANB44**

**Double column 1-tier locker, cantilevered bench version, full length doors**


- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


**Dimensions**

W 800 mm / D 550 mm / H 2100 mm

Height with skirting board 2170 mm

**Optional upon request**





**SANB35**

**Single column 2-tiers locker, cantilevered bench version**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 400 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm


**Optional upon request**



(\*)

(\*) lower compartment excluded





**SANB45**


**Double column 2-tiers locker, cantilevered bench version, 4 doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

**Dimensions**

W 800 mm / D 550 mm / H 2100 mm  
 Height with skirting board 2170 mm

**Optional upon request**



(\*)

(\*) lower compartment excluded

# Handles



**HAN 01A**  
Zamak handle, polished chrome  
Dimensions  
W 10 mm / D 30 mm / H 106 mm



**HAN 01B**  
Zamak handle, matt chrome  
Dimensions  
W 10 mm / D 30 mm / H 106 mm



**HAN 02**  
Zamak knob, polished chrome  
Dimensions  
ø 20 mm / D 25 mm



**HAN 03**  
Recessed handle in zamak, polished chrome  
Dimensions  
W 42 mm / D 12 mm / H 106 mm



**HAN 04**  
Zamak handle, titanium  
Dimensions  
W 50 mm / D 25,7 mm / H 80 mm



**HAN 05A**  
Zamak handle, polished chrome  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 05B**  
Zamak handle, white  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 05C**  
Zamak handle, anthracite  
Dimensions  
W 22 mm / D 18 mm / H 158 mm



**HAN 06**  
Aluminium handle, polished anodised  
Dimensions  
W 16mm / D 30 mm / H 198 mm



---

**HAN 07**

Zamak handle, polished chrome

**Dimensions**

W 69 mm / D 26 mm / H 69 mm



---

**HAN 08A**

Plastic knob, polished silver

**Dimensions**

ø 35 mm / D 28 mm



---

**HAN 08B**

Plastic knob, matt silver

**Dimensions**

ø 35 mm / D 28 mm

# Numbers



## ACCIND

Perforated number on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

### Dimensions

W 62 mm / H 20 mm



## ACCTAI

Number engraved on a stainless steel plate

- Fixing with screws
- Replacing standard equipment

### Dimensions

W 135 mm / H 40 mm



## ACCRES1

Large resin-coated adhesive number, yellow and black

- With black Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm



## ACCRES2

Large resin-coated adhesive number, black and white

- With red Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm



## ACCRES3

Large resin-coated adhesive number, red and white

- With black Fit Interiors logo
- Replacing standard equipment

### Dimensions

W 90 mm / H 90 mm

# 1

## ACCNUI-M150

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

# 1

## ACCNUI-M100

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

# 1

## ACCNUI-M70

Steel number, single digit

- Medium font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 70 mm

# 1

## ACCNUI-C230

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 230 mm

# 1

## ACCNUI-C150

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 150 mm

# 1

## ACCNUI-C100

Steel number, single digit

- Compressed font
- Thickness 1 mm, Fixing with screws
- Replacing standard equipment

Dimensions

H 100 mm

	door width	H 230 mm	H 150 mm	H 100 mm	H 70 mm
Code			ACCNUI-M150*	ACCNUI-M100	ACCNUI-M70
Typeface <b>12345</b> <b>67890</b>	450 mm	•	<b>24</b>	<b>024</b>	<b>024</b>
	400 mm	•	<b>24</b>	<b>024</b>	<b>024</b>
FF Medium	300 mm	•	•	<b>024</b>	<b>024</b>
Code		ACCNUI-C230	ACCNUI-C150	ACCNUI-C100	
Typeface <b>12345</b> <b>67890</b>	450 mm	<b>024</b>	<b>024</b>	<b>024</b>	•
	400 mm	<b>024</b>	<b>024</b>	<b>024</b>	•
FF Compressed	300 mm	•	<b>024</b>	<b>024</b>	•

\* max two-digit numbers

# Locks

## Mechanical combination lock



### ACCHIAVE

#### Key lock

- 2 keys included plus numbered key fob
- Replacing standard equipment



### ACCDKDI

#### Mechanical combination lock DIAL

- Replacing standard equipment



### ACCCOMBI

#### Mechanical combination lock with handle

- Combi Lock
- Replacing standard equipment



### ACCKEYLESS

#### Mechanical combination lock P1

- Satin nickel
- Replacing standard equipment



### ACCKEYLESS1

#### Mechanical combination lock P1

- Satin gold
- Replacing standard equipment



### ACCKEYLESS2

#### Mechanical combination lock P1

- Matte black
- Replacing standard equipment



### ACCKEYLESS3

#### Mechanical combination lock P1

- Matte white
- Replacing standard equipment

## Digital lock with battery



### ACCAXSTD

Axis standard with integrated handle

- Digilock digital lock
- Replacing standard equipment



### ACCAXVER

Axis vertical with integrated handle

- Digilock digital lock
- Replacing standard equipment



### ACCDLKN

Next Cue with keypad

- Digilock digital lock
- Replacing standard equipment



### ACCDKSO

Solaz with handle

- Digilock digital/mechanical lock
- Replacing standard equipment

## Proximity lock



### ACCGAT

Mod. 7010

- Batteries and boltset included
- Replacing standard equipment



### ACCDLKNRFID

Next Cue

- Digilock proximity lock
- Replacing standard equipment



### ACCAXSTDRFID

Axis standard with integrated handle

- Digilock proximity lock
- Replacing standard equipment



### ACCAXVERRFID

Axis vertical with integrated handle

- Digilock proximity lock
- Replacing standard equipment



### ACCOJPRO

OTS Basic

- Ojmar RFID lock
- With battery included
- Replacing standard equipment



# Accessories



## RICFRE

Additional charge for braked hinges (Price per door)

- Replacing standard equipment



## ACCES

Stainless steel storage basket, mounted on the door

Dimensions

W 200 mm / D 80 mm / H 80 mm



## ACCDOC

Plexiglas document holder for A5 sheet to be fixed to the door

Dimensions

W 250 mm / H 225 mm



## ACCSP

Large interior mirror for full door and 2 door locker

Dimensions

W 240 mm / H 400 mm



## ACCSP15

Small interior mirror for locker

Dimensions

W 150 mm / H 240 mm



## ACCUSB

Built-in USB socket

- 5V complete with power supply 100-240 V; 50-60 Hz - IP20



## ACCPIQ

Internal squared shoe compartment

Dimensions

W 270 mm / D (compartment) / H 198 mm



## ACCPI5

Internal shoe compartment with rounded side

Dimensions

W 270 mm / D (compartment) / H 330 mm



## ACCPIA

Internal shoe shelf

Dimensions

W (compartment) / D (compartment)

**ACCTOV**

Chrome-plated oval metal clothes rail

- Replacing standard equipment

**Dimensions**

W up to 450 mm / D 15 mm / H 30 mm

**ACCHOOK1**

Coat hook made of polished aluminium, consisting of two hangers

- Replacing standard equipment
- Mounted on hinge side

**Dimensions**

W 60 mm / D 30 mm / H 50 mm

**ACCHOOK2**

Set of 2 polished aluminium coat hooks, each consisting of two hangers

- Replacing standard equipment

**Dimensions**

W 60 mm / D 30 mm / H 50 mm

**AV00001**

Anti-theft wooden hanger complete with ring

**AV00002**

Anti-theft plastic hanger complete with ring

# Additions



## ACCTAM

### Single side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 550 mm / H 2066 mm



## ACCTAMD

### Double side panel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

L 1100 mm / H 2066 mm



## ACCTAML-24V

### Single side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V

### Dimensions

W 610 mm / H 2092 mm



## ACCTAMD-24V

### Double side panel with LED channel

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- LED IP20, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V

### Dimensions

W 1220 mm / H 2092 mm



## ACCTAMXL

### Single side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 610 mm / H 2092 mm



## ACCTAMD-24V

### Double side panel for lockers with top

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

### Dimensions

W 1220 mm / H 2092 mm

**ACCTAMSP****Single side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 450×1972 mm

**Dimensions**

W 550 mm / H 2072 mm

**ACCTAMSD****Double side panel with mirror**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue
- mirror size 1000×1972 mm

**Dimensions**

W 1100 mm / H 2072 mm

**SPACE1****Single end side panel in laminate, rounded above and below****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**SPACE2****Rounded panel for internal corner in laminate****Dimensions**

W 118 (+112) mm / D 118 (+112) mm / H 2070 mm

**SPACE3****Rounded panel for external corner in laminate****Dimensions**

W 550 mm / D 118 mm / H 2070 mm

**ACCTOS****Single locker top**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTOP****Double locker top**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
- Projection 60 mm

**ACCTSL-24V****Single locker top with integrated LED channel**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
  - LED IP20, color to be chosen among:
    - (C) 6000 K cold light / 4.8W per meter, 24V
    - (N) 4000 K natural light / 4.8W per meter, 24V
    - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCTPL-24V****Double locker top with integrated LED channel**

- 18 mm thick MFC panels
  - ABS edging with polyurethane glue
  - LED IP20, color to be chosen among:
    - (C) 6000 K cold light / 4.8W per meter, 24V
    - (N) 4000 K natural light / 4.8W per meter, 24V
    - (W) 3000 K warm light / 4.8W per meter, 24V
- Projection 60 mm

**ACCVEL20****Upper veil for locker, up to 200 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ACCVEL50****Upper veil for locker, from 200 to 500 mm H**

- 18 mm thick MFC panels
- ABS edging with polyurethane glue

**ADELED-24V****Adhesive LED to put under the locker**

- LED IP54, color to be chosen among:
  - (C) 6000 K cold light / 4.8W per meter, 24V
  - (N) 4000 K natural light / 4.8W per meter, 24V
  - (W) 3000 K warm light / 4.8W per meter, 24V



**ACCZARSG**

Skirting board in ABS for single locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



**ACCZARDG**

Skirting board in ABS for double locker, satin aluminum finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



**ACCZARSB**

Skirting board in ABS for single locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



**ACCZARDB**

Skirting board in ABS for double locker, white finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



**ACCZARSN**

Skirting board in ABS for single locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories



**ACCZARDN**

Skirting board in ABS for double locker, black finish

- Adjustable feet 100 mm high
- Complete with mounting accessories

follow us



**fit  
interiors**

**furniture for gyms,  
health and golf clubs,  
spa&wellness, hotel,  
medical and corporate**

visit [www.fitinteriors.com](http://www.fitinteriors.com)